

What is claimed and desired to be secured by United States Letters Patent is:

1. In a system having at least one application, a method for executing a search from within the at least one application, the method comprising the steps of:

selecting one or more search terms within the at least one application;

activating the one or more search terms;

performing a search based on the one or more search terms; and

returning search results to the at least one application.

2. A method as defined in claim 1, wherein the at least one application is selected from the group of: word processor; spreadsheet, database, image processor; web browser; text recognition; email client, and operating system.

3. A method as defined in claim 1, wherein the step of selecting further comprises the step of automatically selecting the one or more search terms pursuant to pre-defined rules.

4. A method as defined in claim 1, further comprising the step of configuring the search.

5. A method as defined in claim 1, further comprising the step of searching according to a context of the one or more search terms.

6. A method as defined in claim 1, further comprising the step of storing the search results.

T09090" 111154500

1
2 7. A method as defined in claim 1, further comprising the step of presenting the
3 search results to the user without the user having to exit the at least one application.
4

5 8. A method as defined in claim 1, wherein the search is performed without the
6 user having to exit the at least one application.
7

8 9. A method as defined in claim 1, further comprising the step of the
9 manipulating, by a user, the search results.
10

11 10. A computer readable medium having computer executable instructions for
12 performing the steps recited in claim 1.
13
14
15
16
17
18
19
20
21
22
23
24

1 11. In a computer system connected to a network, a method for performing a
2 search over the network, the method comprising the steps of:

3 selecting search data within at least one application in the computer system;
4 activating the search data;
5 performing a search on the search data from within the at least one
6 application such that the user is not required to open another application;
7 returning search results to a user within the at least one application, wherein
8 the user views the search results within the at least one application.
9

10 12. A method as defined in claim 11, wherein the search data comprises text.
11

12 13. A method as defined in claim 11, wherein the step of activating further
13 comprises the step of configuring the search.
14

15 14. A method as defined in claim 11, wherein the step of activating further
16 comprises the step of selecting at least one search location.
17

18 15. A computer readable medium having computer executable instructions for
19 performing the steps recited in claim 11.
20
21
22
23
24

1 16. In a computer system having access to one or more applications, the
2 computer system connected to a network, a method for searching over the network, the
3 method comprising the steps of:

4 within an application, previewing data within at least one application;
5 selecting a portion of the previewed data as search terms;
6 performing a search based on the portion of the previewed data without user
7 input;
8 caching search results from the search, wherein the search results are readily
9 available to a user.

10
11 17. A computer readable medium having computer executable instructions for
12 performing the steps recited in claim 16.